


KUMTEL


Range Hood











en.kumtel.com


2025

Classic Hood Series




Slim, Fresh, Simply Essential

DK6-Button



Flame retardant plastic

3501DK60SYM13





*Aluminum Filter

Features

Length	: 600 mm
Material	: Black Painted Body
Switch	: 3 Speed - Push Button
Airflow	: Single Motor 250 m^3 / 90W
Lighting	: 1*4W Led
Filter	: Double 3-Layers Aluminum Filter
Air Outlet	: Ø 120mm
Noise Level	: 62dB

Airflow / Watt Options

Double Motor: 450 m^3 190W

Packing / Accessories

Carton Box
Assembly Kit
Air Outlet Adapter (120 mm)

Loading(20'GP / 40'H)

20'GP: 620 pc.
40'GP: 1450 pc.

Optional

Carbon Filter
Visor Glass
5-Layers Aluminum Filter

Color Options

Stainless Steel / White / Other Colors

Control Panel




DK6- Digital Knob



Flame retardant plastic

3501DK60SYM28





*Aluminum Filter

Features

Length	:	600 mm
Material	:	Black Painted Body
Switch	:	3 Speed - Digital Knob Control
Airflow	:	Single Motor 250 m^3 / 90W
Lighting	:	1*4W Led
Filter	:	Double 3-Layers Aluminum Filter
Air Outlet	:	Ø 120mm
Noise Level	:	62dB

Airflow / Watt Options

Double Motor: 450 m^3 190W

Packing / Accessories

Carton Box
Assembly Kit
Air Outlet Adapter (120 mm)

Loading(20'GP / 40'H)

20'GP: 620 pc.
40'GP: 1450 pc.

Optional

Carbon Filter
Visor Glass
5-Layers Aluminum Filter

Color Options

Stainless Steel / White / Other Colors

Control Panel




DK6-Touch



Flame retardant plastic

3501DK60SYM26





*Aluminum Filter

Features

Length	:	600 mm
Material	:	Black Painted Body
Switch	:	3 Speed - Touch Control
Airflow	:	Single Motor 250 m^3 / 90W
Lighting	:	1*4W Led
Filter	:	Double 3-Layers Aluminum Filter
Air Outlet	:	Ø 120mm
Noise Level	:	62dB

Airflow / Watt Options

Double Motor: 450 m^3 190W

Packing / Accessories

Carton Box
Assembly Kit
Air Outlet Adapter (120 mm)

Loading(20'GP / 40'H)

20'GP: 620 pc.
40'GP: 1450 pc.

Optional

Carbon Filter
Visor Glass
5-Layers Aluminum Filter

Color Options

Stainless Steel / White / Other Colors

Control Panel




DK6-Gesture

Gesture control

Flame retardant plastic



3501DK60SYM28





*Aluminum Filter

Features

Length	:	600 mm
Material	:	Black Painted Body
Switch	:	3 Speed - Touch + Gesture Control
Airflow	:	Single Motor 250 m^3 / 90W
Lighting	:	1*4W Led
Filter	:	Double 3-Layers Aluminum Filter
Air Outlet	:	Ø 120mm
Noise Level	:	62dB

Airflow / Watt Options

Double Motor: 450 m^3 190W

Packing / Accessories

Carton Box
Assembly Kit
Air Outlet Adapter (120 mm)

Loading(20'GP / 40'H)

20'GP: 620 pc.
40'GP: 1450 pc.

Optional

Carbon Filter
Visor Glass
5-Layers Aluminum Filter


Color Options

Stainless Steel / White / Other Colors

Control Panel




DK9-Button



Flame retardant plastic

3501DK90SYM04





*Aluminum Filter

Features

Length	: 900 mm
Material	: Black Painted Body
Switch	: 3 Speed - Push Button
Airflow	: Single Motor 250 m³ / 90W
Lighting	: 1*4W Led
Filter	: Triple 3-Layers Aluminum Filter
Air Outlet	: Ø 120mm
Noise Level	: 62dB

Airflow / Watt Options

Double Motor: 450 m³ 190W

Packing / Accessories

Carton Box
Assembly Kit
Air Outlet Adapter (120 mm)

Loading(20'GP / 40'H)

20'GP: 420 pc.
40'GP: 970 pc.

Optional

Carbon Filter
Visor Glass
5-Layers Aluminum Filter

Color Options

Stainless Steel / White / Other Colors

Control Panle




DK9-Touch



Flame retardant plastic

3501DK90SYM18





*Aluminum Filter

Features

Length	: 900 mm
Material	: Black Painted Body
Switch	: 3 Speed - Touch Control
Airflow	: Single Motor 250 m³ / 90W
Lighting	: 1*4W Led
Filter	: Triple 3-Layers Aluminum Filter
Air Outlet	: Ø 120mm
Noise Level	: 62dB

Airflow / Watt Options

Double Motor: 450 m³ 190W

Packing / Accessories

Carton Box
Assembly Kit
Air Outlet Adapter (120 mm)

Loading(20'GP / 40'H)

20'GP: 420 pc.
40'GP: 970 pc.


Optional

Carbon Filter
Visor Glass
5-Layers Aluminum Filter

Color Options

Stainless Steel / White / Other Colors

Control Panel




DK9-Digital Knob



Flame retardant plastic

3501DK90SYM20





*Aluminum Filter

Features

Length	: 900 mm
Material	: Black Painted Body
Switch	: 3 Speed - Digital Knob Control
Airflow	: Single Motor 250 m³ / 90W
Lighting	: 1*4W Led
Filter	: Triple 3-Layers Aluminum Filter
Air Outlet	: Ø 120mm
Noise Level	: 62dB

Airflow / Watt Options

Double Motor: 450 m³ 190W

Packing / Accessories

Carton Box
Assembly Kit
Air Outlet Adapter (120 mm)

Loading(20'GP / 40'H)

20'GP: 420 pc.
40'GP: 970 pc.

Optional

Carbon Filter
Visor Glass
5-Layers Aluminum Filter

Color Options

Stainless Steel / White / Other Colors

Control Panel




DK9-Gesture

Gesture control

Flame retardant plastic



3501DK90SYM19





*Aluminum Filter

Features

Length	: 900 mm
Material	: Black Painted Body
Switch	: 3 Speed - Touch / Gesture Control
Airflow	: Single Motor 250 m³ / 90W
Lighting	: 1*4W Led
Filter	: Triple 3-Layers Aluminum Filter
Air Outlet	: Ø 120mm
Noise Level	: 62dB

Airflow / Watt Options

Double Motor: 450 m³ 190W

Packing / Accessories

Carton Box
Assembly Kit
Air Outlet Adapter (120 mm)

Loading(20'GP / 40'H)

20'GP: 420 pc.
40'GP: 970 pc.

Optional

Carbon Filter
Visor Glass
5-Layers Aluminum Filter

Color Options

Stainless Steel / White / Other Colors

Control Panel



Pyramid Hood Series




The Art of Pyramid Elegance

DP6



3501DP60SYM02

Flame retardant plastic





*Aluminum Filter

Features

Length	: 600 mm
Material	: Black Painted Body
Switch	: 3 Speed - Push Button
Airflow	: 450 m³ / 140W
Lighting	: 1*4W Led
Filter	: Double 3-Layers Aluminum Filter
Air Outlet	: Ø 120mm
Noise Level	: 63dB
Chimney Size	: 2 Pcs x 300mm

Airflow / Watt Options

650 m³- 120W

Packing / Accessories

Carton Box
Assembly Kit

Loading(20'GP / 40'HQ)

20'GP: 400 pc.
40'GP: 940 pc.

Optional

Carbon Filter
5-Layers Aluminum Filter

Color Options

Stainless Steel / White / Other Colors

Control Panel




DP6 Rustic

Flame retardant plastic



3501DP60RTR01





*Aluminum Filter

Features

Length	: 600 mm
Material	: Black Painted Body
Switch	: 3 Speed - Push Button
Airflow	: 450 m³ / 140W
Lighting	: 1*4W Led
Filter	: Double 3-Layers Aluminum Filter
Air Outlet	: Ø 120mm
Noise Level	: 63dB
Chimney Size	: 2 Pcs x 300mm

Airflow / Watt Options

650 m³- 120W

Packing / Accessories

Carton Box
Assembly Kit

Loading(20'GP / 40'HQ)

20'GP: 320 pc.
40'GP: 740 pc.

Optional

Carbon Filter
5-Layers Aluminum Filter

Color Options

Stainless Steel / White / Other Colors

Control Panel



DP6 Vega



3501DP60SYM06

Flame retardant plastic





*Aluminum Filter

Features

Length	: 600 mm
Material	: Black Painted Body
Switch	: 3 Speed - Push Button
Airflow	: 450 m³ / 140W
Lighting	: 1*4W Led
Filter	: Double 3-Layers Aluminum Filter
Air Outlet	: Ø 150mm
Noise Level	: 63dB
Chimney Size	: 2 Pcs x 300mm

Airflow Options

650 m³- 120W
750 m³ - 230W
850 m³ - 270W

Packing / Accessories

Carton Box
Assembly Kit
Air Outlet Adapter (150 mm to 120 mm)

Loading(20'GP / 40'HQ)

20'GP: 330 pc.
40'GP: 770 pc.

Optional

Carbon Filter
5-Layers Aluminum Filter

Color Options

Stainless Steel / White / Other Colors

Control Panel




DP9- Vega



3501DP90SYM01

Flame retardant plastic





*Aluminum Filter

Features

Length	: 900 mm
Material	: Black Painted Body
Switch	: 3 Speed - Push Button
Airflow	: 450 m³ / 140W
Lighting	: 1*4W Led
Filter	: Triple 3-Layers Aluminum Filter
Air Outlet	: Ø 150mm
Noise Level	: 63dB
Chimney Size	: 2 Pcs x 300mm

Airflow Options

650 m³- 120W
750 m³ - 230W
850 m³ - 270W

Packing / Accessories

Carton Box
Assembly Kit
Air Outlet Adapter (150 mm to 120 mm)

Loading(20'GP / 40'HQ)

20'GP: 180 pc.
40'GP: 430 pc.

Optional

Carbon Filter
5-Layers Aluminum Filter

Color Options

Stainless Steel / White / Other Colors

Control Panel



T- Shape Series




A masterpiece of design and performance

DT6-Lina



Flame retardant plastic

3501DT60SHY10





*Baffle Filter



*Aluminum Filter

Features

Length	: 600 mm
Material	: Black Painted Body
Switch	: 3 Speed - Push Button
Airflow	: 450 m³ / 140W
Lighting	: 1*4W Led
Filter	: Baffle Filter (SS or Color)
Air Outlet	: Ø 120mm
Noise Level	: 63dB
Chimney Size	: 2 Pcs x 300mm

Airflow / Watt Options

650 m³ / 120W

Packing / Accessories

Carton Box
Assembly Kit

Loading(20'GP / 40'HQ)

20'GP: 390 pc.
40'GP: 900 pc.

Optional

Carbon Filter
3-Layers Aluminum Filter
5-Layers Aluminum Filter

Color Options

Stainless Steel / White / Other Colors

Control Panel





DT9-Lina



Flame retardant plastic

3501DT90SIQ03







*Baffle Filter



*Aluminum Filter

Features

Length	: 900 mm
Material	: Black Painted Body
Switch	: 3 Speed - Push Button
Airflow	: 450 m³ / 140W
Lighting	: 1*4W Led
Filter	: Baffle Filter (SS or Color)
Air Outlet	: Ø 120mm
Noise Level	: 63dB
Chimney Size	: 2 Pcs x 300mm

Airflow / Watt Options

650 m³ / 120W

Packing / Accessories

Carton Box
Assembly Kit

Loading(20'GP / 40'HQ)

20'GP: 260 pc.
40'GP: 620 pc.

Optional

Carbon Filter
3-Layers Aluminum Filter
5-Layers Aluminum Filter

Color Options

Stainless Steel / White / Other Colors

Control Panel




DT6-Ruby Button



3501DT60SHY13

Flame retardant plastic



Features

Length	: 600 mm
Material	: Black Painted Body
Switch	: 3 Speed - Push Button
Airflow	: 450 m³ / 140W
Lighting	: 1*4W Led
Filter	: Baffle Filter (SS or Color)
Air Outlet	: Ø 150mm
Noise Level	: 63dB
Chimney Size	: 2 Pcs x 300mm

Airflow / Watt Options

650 m³- 120W
750 m³ - 230W
850 m³ - 270W

Packing / Accessories

Carton Box
Assembly Kit
Air Outlet Adapter (150 mm to 120 mm)

Loading(20'GP / 40'HQ)

20'GP: 200 pc.
40'GP: 480 pc.


Optional

Carbon Filter
3-Layers Aluminum Filter
5-Layers Aluminum Filter

Color Options

Stainless Steel / White / Other Colors

Control Panel





*Baffle Filter




*Aluminum Filter

DT6-Ruby Touch



Flame retardant plastic

3501DT60SHY14



Features

Length	: 600 mm
Material	: Black Painted Body
Switch	: 3 Speed - Touch Control
Airflow	: 450 m³ / 140W
Lighting	: 1*4W Led
Filter	: Baffle Filter (SS or Color)
Air Outlet	: Ø 150mm
Noise Level	: 63dB
Chimney Size	: 2 Pcs x 300mm

Airflow / Watt Options

650 m³- 120W
750 m³ - 230W
850 m³ - 270W

Packing / Accessories

Carton Box
Assembly Kit
Air Outlet Adapter (150 mm to 120 mm)

Loading(20'GP / 40'HQ)

20'GP: 190 pc.
40'GP: 450 pc.

Optional

Carbon Filter
3-Layers Aluminum Filter
5-Layers Aluminum Filter

Color Options

Stainless Steel / White / Other Colors

Control Panel





*Baffle Filter



*Aluminum Filter


DT6- Ruby Gesture



3501DT60SHY15

Flame retardant plastic

Gesture control



Features

Length	: 600 mm
Material	: Black Painted Body
Switch	: 3 Speed - Touch + Gesture Control
Airflow	: 450 m³ / 140W
Lighting	: 1*4W Led
Filter	: Baffle Filter (SS or Color)
Air Outlet	: Ø 150mm
Noise Level	: 63dB
Chimney Size	: 2 Pcs x 300mm

Airflow / Watt Options

650 m³- 120W
750 m³ - 230W
850 m³ - 270W

Packing / Accessories

Carton Box
Assembly Kit
Air Outlet Adapter (150 mm to 120 mm)

Loading(20'GP / 40'HQ)

20'GP: 190 pc.
40'GP: 450 pc.

Optional

Carbon Filter
3-Layers Aluminum Filter
5-Layers Aluminum Filter

Color Options

Stainless Steel / White / Other Colors

Control Panel





*Baffle Filter




*Aluminum Filter

DT9-Ruby Button



3501DT90SHY11

Flame retardant plastic



Features

Length	: 600 mm
Material	: Black Painted Body
Switch	: 3 Speed - Push Button
Airflow	: 450 m³ / 140W
Lighting	: 1*4W Led
Filter	: Baffle Filter (SS or Color)
Air Outlet	: Ø 150mm
Noise Level	: 63dB
Chimney Size	: 2 Pcs x 300mm

Airflow Options

650 m³- 120W
750 m³ - 230W
850 m³ - 270W

Packing / Accessories

Carton Box
Assembly Kit
Air Outlet Adapter (150 mm to 120 mm)

Loading(20'GP / 40'HQ)

20'GP: 140 pc.
40'GP: 320 pc.


Optional

Carbon Filter
3-Layers Aluminum Filter
5-Layers Aluminum Filter

Color Options

Stainless Steel / White / Other Colors

Control Panel






*Baffle Filter




*Aluminum Filter

DT9-Ruby Touch



3501DT90SHY08

Flame retardant plastic





*Baffle Filter



*Aluminum Filter

Features

Length	:	600 mm
Material	:	Black Painted Body
Switch	:	3 Speed - Touch Control
Airflow	:	450 m³ / 140W
Lighting	:	1*4W Led
Filter	:	Baffle Filter (SS or Color)
Air Outlet	:	Ø 150mm
Noise Level	:	63dB
Chimney Size	:	2 Pcs x 300mm

Airflow Options

650 m³- 120W
750 m³ - 230W
850 m³ - 270W

Packing / Accessories

Carton Box
Assembly Kit
Air Outlet Adapter (150 mm to 120 mm)

Loading(20'GP / 40'HQ)

20'GP: 130 pc.
40'GP: 300 pc.

Optional

Carbon Filter
3-Layers Aluminum Filter
5-Layers Aluminum Filter


Color Options

Stainless Steel / White / Other Colors

Control Panel




DT9-Ruby Gesture



3501DT90SHY08

Flame retardant plastic

Gesture control



Features

Length	: 600 mm
Material	: Black Painted Body
Switch	: 3 Speed - Touch + Gesture Control
Airflow	: 450 m³ / 140W
Lighting	: 1*4W Led
Filter	: Baffle Filter (SS or Color)
Air Outlet	: Ø 150mm
Noise Level	: 63dB
Chimney Size	: 2 Pcs x 300mm

Airflow Options

650 m³- 120W
750 m³ - 230W
850 m³ - 270W

Packing / Accessories

Carton Box
Assembly Kit
Air Outlet Adapter (150 mm to 120 mm)

Loading(20'GP / 40'HQ)


Optional

Carbon Filter
3-Layers Aluminum Filter
5-Layers Aluminum Filter

Color Options

Stainless Steel / White / Other Colors

Control Panel





*Baffle Filter



*Aluminum Filter

Built-in Series




Effortless slide, powerful freshness.

DS6
Telescopic



fire resistance plastic

3501DS60SYM07



*Aluminum Filter

Features

Length	:	600 mm
Material	:	Black Painted Body
Switch	:	3 Speed - Rocker Switch
Airflow	:	450 m³ / 140W
Lighting	:	1*4W Led
Filter	:	Double 3-Layers Aluminum Filter
Air Outlet	:	Ø 120mm
Noise Level	:	63dB
Sliding Stronk	:	100 mm

Airflow Options

650 m³ - 120W

Packing / Accessories

Carton Box
Assembly Kit
Air Outlet Adapter (120 mm)

Loading(20'GP / 40'HQ)

20'GP: 850 pc.
40'GP: 1950 pc.

Optional

Carbon Filter
5-Layers Aluminum Filter

Color Options

White Body/ Stainless Steel Panel/ Glass Panel / Other Colors Panel

Control Panel




DS9



fire resistance plastic

3501DS90SHY02





*Aluminum Filter

Features

Length	: 900 mm
Material	: Painted Body
Switch	: 3 Speed - Rocker Swicht
Airflow	: Double Motor 450 m³ / 190W
Lighting	: 1*4W Led
Filter	: Double 3-Layers Aluminum Filter
Air Outlet	: Ø 120mm
Noise Level	: 63dB

Airflow Options

650 m³ - 120W

Packing / Accessories

Carton Box
Assembly Kit

Loading(20'GP / 40'HQ)

20'GP: 570 pc.
40'GP: 1300 pc.

Optional

Carbon Filter
5-Layers Aluminum Filter

Color Options

Stainless Steel Panel / White Panel / White or Black Glass Panel

Control Panel




DU6






Flame retardant plastic

3501DU60SYM01







*Aluminum Filter

Features

Length	: 600 mm
Material	: Painted Body
Switch	: 3 Speed - Push Button
Airflow	: 450 m^3 / 140W
Lighting	: 1*4W Led
Filter	: 3-Layers Aluminum Filter
Air Outlet	: Ø 120mm
Noise Level	: 63dB

Airflow Options

650 m^3 - 120W

Packing / Accessories

Carton Box
Assembly Kit

Loading(20'GP / 40'HQ)

20'GP: 740 pc.
40'GP: 1700 pc.


Optional

Carbon Filter
5-Layers Aluminum Filter

Color Options

Stainless Steel Panel / White Panel / White or Black Glass Panel

Control Panel



Angled Glass Hood Series



Elegance in Every Angle, Strength in Every Detail!

DA6-835






3501DA60SYM50

Flame retardant plastic

Remote Control





*Baffle Filter



*Aluminum Filter

Features

Length	: 600 mm
Material	: Black Painted Body
Switch	: 3 Speed - Touch / Remote Control
Airflow	: 450 m³ / 140W
Glass Design	: Double Glass
Lighting	: 1*4W Led
Filter	: Baffle Filter (SS or Color)
Air Outlet	: Ø 150mm
Noise Level	: 63dB
Chimney Size	: 2 Pcs x 300mm

Airflow - Watt Options

650 m³- 120W

750 m³ - 230W

Packing / Accessories

Carton Box
Assembly Kit
Air Outlet Adapter (150 mm to 120 mm)

Loading(20'GP / 40'HQ)

20'GP: 260 pc.
40'GP: 610 pc.

Optional

Carbon Filter
3-Layers Aluminum Filter
5-Layers Aluminum Filter


Color Options

White / Other Colors

Length Options

700 / 900 mm

Control Panel



DA6-830

3501DA60SYM47



Features

Length	: 600 mm
Material	: Black Painted Body
Switch	: 3 Speed - Knob Control
Airflow	: 450 m³ / 140W
Glass Design	: Double Glass
Lighting	: 1*4W Led
Filter	: Baffle Filter (SS or Color)
Air Outlet	: Ø 150mm
Noise Level	: 63dB
Chimney Size	: 2 Pcs x 300mm

Airflow - Watt Options

650 m³- 120W
750 m³ - 230W

Packing / Accessories

Carton Box
Assembly Kit
Air Outlet Adapter (150 mm to 120 mm)

Loading(20'GP / 40'HQ)

20'GP: 260 pc.
40'GP: 620 pc.

Optional

Carbon Filter
3-Layers Aluminum Filter
5-Layers Aluminum Filter

Color Options

White / Other Colors

Length Options

700 / 900 mm

DA6-832

3501DA60SYM48



Features

Length	: 600 mm
Material	: Black Painted Body
Switch	: 3 Speed - Push Button
Airflow	: 450 m³ / 140W
Glass Design	: Double Glass
Lighting	: 1*4W Led
Filter	: Baffle Filter (SS or Color)
Air Outlet	: Ø 150mm
Noise Level	: 63dB
Chimney Size	: 2 Pcs x 300mm

Airflow - Watt Options

650 m³- 120W
750 m³ - 230W

Packing / Accessories

Carton Box
Assembly Kit
Air Outlet Adapter (150 mm to 120 mm)

Loading(20'GP / 40'HQ)

20'GP: 250 pc.
40'GP: 600 pc.

Optional

Carbon Filter
3-Layers Aluminum Filter
5-Layers Aluminum Filter

Color Options

White / Other Colors

Length Options

700 / 900 mm

DA6-845

3501DA60SYM51



Features

Length	: 600 mm
Material	: Black Painted Body
Switch	: 3 Speed - Touch / Remote Control
Airflow	: 450 m³ / 140W
Glass Design	: Single Glass
Lighting	: 1*4W Led
Filter	: 3-Layers Aluminum Filter
Air Outlet	: Ø 150mm
Noise Level	: 63dB
Chimney Size	: 2 Pcs x 300mm

Airflow - Watt Options

650 m³- 120W
750 m³ - 230W
850 m³ - 280W

Packing / Accessories

Carton Box
Assembly Kit
Air Outlet Adapter (150 mm to 120 mm)

Loading(20'GP / 40'HQ)

20'GP: 250 pc.
40'GP: 600 pc.

Optional

Carbon Filter
5-Layers Aluminum Filter
Piston

Color Options

White / Other Colors

Length Options

700 / 900 mm

DA6-865

3501DA60SYM52



Features

Length	: 600 mm
Material	: Black Painted Body
Switch	: 3 Speed - Touch / Remote Control
Airflow	: 450 m³ / 140W
Glass Design	: Triple Glass
Lighting	: 1*4W Led
Filter	: 3-Layers Aluminum Filter
Air Outlet	: Ø 150mm
Noise Level	: 63dB
Chimney Size	: 2 Pcs x 300mm

Airflow - Watt Options

650 m³- 120W
750 m³ - 230W

Packing / Accessories

Carton Box
Assembly Kit
Air Outlet Adapter (150 mm to 120 mm)

Loading(20'GP / 40'HQ)

20'GP: 250 pc.
40'GP: 600 pc.

Optional

Carbon Filter
5-Layer Aluminum Filter

Color Options

White / Other Colors

Length Options

700 / 900 mm

Angled Glass Hood Series




Elegance in Every Angle, Strength in Every Detail!

DA5-895



Flame retardant plastic

3501DA60SYM53





*Baffle Filter



*Aluminum Filter

Features

Length	:	500 mm
Material	:	Black Painted Body
Switch	:	3 Speed - Touch / Remote Control
Airflow	:	450 m³ / 140W
Glass Design	:	Double Glass
Lighting	:	1*4W Led
Filter	:	3-Layers Aluminum Filter
Air Outlet	:	Ø 120mm
Noise Level	:	63dB
Chimney Size	:	2 Pcs x 300mm

Airflow - Watt Options

650 m³- 120W
750 m³ - 230W

Packing / Accessories

Carton Box
Assembly Kit
Air Outlet Adapter (150 mm to 120 mm)

Loading(20'GP / 40'HQ)

20'GP: 250 pc.
40'GP: 600 pc.

Optional

Carbon Filter
5-Layers Aluminum Filter

Color Options

White / Other Colors

Length Options


700 / 900 mm

DA6-833



Flame retardant plastic

3501DA60SYM49





*Aluminum Filter

Features

Length	: 600 mm
Material	: Black Painted Body
Switch	: 1 Speed - Rocker Switch
Airflow	: 250 m³ / 90W
Glass Design	: Single Glass
Lighting	: 1*4W Led
Filter	: 2-Layers Aluminum Filter
Air Outlet	: Ø 120mm
Noise Level	: 63dB
Chimney Size	: 2 Pcs x 300mm

Airflow - Watt Options

No

Packing / Accessories

Carton Box
Assembly Kit
Air Outlet Adapter (150 mm to 120 mm)

Loading(20'GP / 40'HQ)

20'GP: 250 pc.
40'GP: 600 pc.

Optional

Carbon Filter

Color Options

White / Other Colors


DF6-885 A+



3501DF60BYM02

Flame retardant plastic

Remote Control





*Aluminum Filter

Features

Length	:	600 mm
Material	:	Black Painted Body
Switch	:	7 Speed - Touch - Remote Control
Airflow	:	BLDC 650 m³ / 35W
Glass Design	:	Single Glass
Lighting	:	1*4W Led
Filter	:	Quatro 3-Layers Aluminum Filter
Air Outlet	:	Ø 150mm
Noise Level	:	52dB
Chimney Size	:	2 Pcs x 300mm

Airflow - Watt Options

No

Packing / Accessories

Carton Box
Assembly Kit
Air Outlet Adapter (150 mm to 120 mm)

Loading(20'GP / 40'HQ)

20'GP: 260 pc.
40'GP: 610 pc.


Optional

Carbon Filter

Color Options

Black / Other Colors

Control Panel



CERTIFICATES



ISO 9001



ISO 10002



ISO 50001


























KUMTEL


Range Hood











2025

en.kumtel.com