




KUMTEL®

Free Standing Cookers Catalogue

50x50 FREE STANDING OVEN FEATURES



LF55S-40F

Main Features

Electric Oven Type
Thermostat
Gas Safety System
Hob Auto Ignition

Technical Features

Rapid Burner: 1 x 2,20 KW
Semi Rapid Burner: 2 x 1,65 KW
Auxiliary Burner: 1 x 1,10 KW
W x D x H: 50 x 50 x 87,5 cm



LF55G-40

Main Features

Gas Oven Type (Bottom Burner)
Hob Button Ignition

Technical Features

Rapid Burner: 1 x 2,20 KW
Semi Rapid Burner: 2 x 1,65 KW
Auxiliary Burner: 1 x 1,10 KW
W x D x H: 50 x 50 x 87,5 cm



LF55GG-40

Main Features

Gas Oven Type
(Bottom Burner + Upper Burner)
Pipe Burner Type

Technical Features

Rapid Burner: 1 x 2,20 KW
Semi Rapid Burner: 2 x 1,65 KW
Auxiliary Burner: 1 x 1,10 KW
W x D x H: 50 x 50 x 87,5 cm



LF55GG-40F

Main Features

Gas Oven Type
(Bottom Burner + Upper Burner)
Gas Safety System
Hob Auto Ignition

Technical Features

Rapid Burner: 1 x 2,20 KW
Semi Rapid Burner: 2 x 1,65 KW
Auxiliary Burner: 1 x 1,10 KW
W x D x H: 50 x 50 x 87,5 cm

50x50 FREE STANDING OVEN SPECIFICATION



Model	LF55S-40F	LF55G-40	LF55GG-40-Rustic	LF55GG-40F
Capacity (L)	45	45	45	45
Voltage (v)	220-240	220-240	220-240	220-240
Frequency (Hz)	50	50	50	50
Total Power	1600 W	-	-	-
Thermostat	Yes	Optional	Optional	Optional
Oven Type	Static	Gas (Bottom Burner)	Gas (Bottom + Upper Burner)	Gas (Bottom + Upper Burner)
Hob Type	4 Gas / Pool or Pipe	4 Gas / Pool or Pipe	4 Gas / Pool or Pipe	4 Gas / Pool or Pipe
Aesthetics	Favorite	Favorite	Favorite	Favorite
Display/Timer	Optional	Optional	Optional	Optional
Inner Door Type	Full Glass (Removable)	Full Glass (Removable)	Full Glass (Removable)	Full Glass (Removable)
Interior Accessory	1x Cr-ni grid, 1x Enamelled Rectangle Tray	1x Cr-ni grid, 1x Enamelled Rectangle Tray	1x Cr-ni grid, 1x Enamelled Rectangle Tray	1x Cr-ni grid, 1x Enamelled Rectangle Tray
Deep Tray	-	-	-	-
Turbo Fan	Optional	-	-	-
Rotisserie	Optional	Optional	Optional	Optional
Interior Light	Optional	Optional	Optional	Optional
Lid	Metal or Glass	Metal or Glass	Metal or Glass	Metal or Glass
Shelf Positions	4	4	4	4
Side Walls	Enamelled	Enamelled	Enamelled	Enamelled
Pun Support	Enamelled or Cast Iron	Enamelled or Cast Iron	Enamelled or Cast Iron	Enamelled or Cast Iron
Ignition	Auto or Button	Auto or Button	Auto or Button	Auto or Button
Flame Failure Device (FFD)	Optional	Optional	Optional	Optional



50x60 FREE STANDING OVEN FEATURES



LF56S-40F

Main Features

Electric Oven Type
Thermostat
Gas Safety System
Hob Auto Ignition

Technical Features

Rapid Burner: 1 x 2,20 KW
Semi Rapid Burner: 2 x 1,65 KW
Auxiliary Burner: 1 x 1,10 KW
W x D x H: 50 x 50 x 87,5 cm



LF56S-04

Main Features

Electric Oven Type
Electric Hob Type
Thermostat

Technical Features

Big Hotplate: 2 x 1500 W
Small Hotplate: 2 x 1000 W
W x D x H: 50 x 56,5 x 87,5 cm



LF56G-40

Main Features

Gas Oven Type (Bottom Burner)
Hob Auto Ignition

Technical Features

Rapid Burner: 1 x 2,20 KW
Semi Rapid Burner: 2 x 1,65 KW
Auxiliary Burner: 1 x 1,10 KW
W x D x H: 50 x 56,5 x 87,5 cm



LF56GG-40

Main Features

Gas Oven Type
(Bottom Burner + Upper Burner)
Hob Button Ignition
Rotisserie

Technical Features

Rapid Burner: 1 x 2,20 KW
Semi Rapid Burner: 2 x 1,65 KW
Auxiliary Burner: 1 x 1,10 KW
W x D x H: 50 x 56,5 x 87,5 cm

50x60 FREE STANDING OVEN SPECIFICATION



Model	LF56S-40F	LF56S-04	LF56G-40	LF56GG-40
Capacity (L)	45	45	45	45
Voltage (v)	220-240	220-240	220-240	220-240
Frequency (Hz)	50	50	50	50
Total Power	1600 W	6600 W	-	-
Thermostat	Yes	Yes	Optional	Optional
Oven Type	Static	Static	Gas (Bottom Burner)	Gas (Bottom + Upper Burner)
Hob Type	4 Gas / Pool or Pipe	4 Electric Hotplate	4 Gas / Pool or Pipe	4 Gas / Pool or Pipe
Aesthetics	Favorite	Favorite	Favorite	Favorite
Display/Timer	Optional	Optional	Optional	Optional
Inner Door Type	Full Glass (Removable)	Full Glass (Removable)	Full Glass (Removable)	Full Glass (Removable)
Interior Accessory	1 x Cr-ni grid, 1 x Enamelled Rectangle Tray	1 x Cr-ni grid, 1 x Enamelled Rectangle Tray	1 x Cr-ni grid, 1 x Enamelled Rectangle Tray	1 x Cr-ni grid, 1 x Enamelled Rectangle Tray
Deep Tray	-	-	-	-
Turbo Fan	Optional	Optional	-	-
Rotisserie	Optional	Optional	Optional	Optional
Interior Light	Optional	Optional	Optional	Optional
Lid	Metal or Glass	Metal or Glass	Metal or Glass	Metal or Glass
Shelf Positions	4	4	4	4
Side Walls	Enamelled	Enamelled	Enamelled	Enamelled
Pun Support	Enamelled or Cast Iron	-	Enamelled or Cast Iron	Enamelled or Cast Iron
Ignition	Auto or Button	-	Auto or Button	Auto or Button
Flame Failure Device (FFD)	Optional	-	Optional	Optional



60x60 FREE STANDING OVEN FEATURES

LF60S-40F



Main Features

Electric Oven Type
Thermostat
Gas Safety System
Hob Auto Ignition

Technical Features

Rapid Burner: 1 x 2,20 KW
Semi Rapid Burner: 2 x 1,65 KW
Auxiliary Burner: 1 x 1,10 KW
W x D x H: 60 x 60 x 87,5 cm

LF60GG-40



Main Features

Gas Oven Type (Bottom
Burner+Upper Burner)
Pipe Burner Type

Technical Features

Rapid Burner: 1 x 2,20 KW
Semi Rapid Burner: 2 x 1,65 KW
Auxiliary Burner: 1 x 1,10 KW
W x D x H: 60 x 60 x 87,5 cm



LF60S-40F

Main Features

Electric Oven Type
Rustic Design
Thermostat
Mechanical Timer
Gas Safety System
Hob Auto Ignition

Technical Features

Rapid Burner: 1 x 2,20 KW
Semi Rapid Burner: 2 x 1,65 KW
Auxiliary Burner: 1 x 1,10 KW
W x D x H: 60 x 60 x 87,5 cm



LF60S-31F

Main Features

Electric Oven Type
Thermostat
Gas Safety System
Hob Auto Ignition

Technical Features

Rapid Burner: 1 x 2,20 KW
Semi Rapid Burner: 1 x 1,65 KW
Auxiliary Burner: 1 x 1,10 KW
Hotplate: 1000 W
W x D x H: 60 x 60 x 87,5 cm



LF60S-22F

Main Features

Electric Oven Type
Thermostat
Mechanical Timer
Gas Safety System
Hob Auto Ignition

Technical Features

Rapid Burner: 1 x 2,20 KW
Semi Rapid Burner: 1 x 1,65 KW
Auxiliary Burner: 1 x 1,10 KW
Hotplate: 1 x 1000 W 1 x 1500 W
W x D x H: 60 x 60 x 87,5 cm



LF60S-04VR



Main Features

Electric Oven Type
Thermostat
Vitroceramic Cooker Surface

Technical Features

Left Back: 180 mm / 1800 W
Right Back: 140 mm / 1200 W
Left Front: 140 mm / 1200 W
Right Front: 180 mm / 1800 W
W x D x H: 60 x 60 x 87,5 cm

LF60S-04



Main Features

Electric Oven Type
Thermostat

Technical Features

Big Hotplate: 2 x 1500 W
Small Hotplate: 2 x 1000 W
W x D x H: 60 x 60 x 87,5 cm



LF60GG-40F

Main Features

Gas Oven Type (Bottom Burner+Upper Burner)
Mechanical Timer
Rotisserie
Gas Safety System
Hob Button Ignition

Technical Features

Rapid Burner: 1 x 2,20 KW
Semi Rapid Burner: 2 x 1,65 KW
Auxiliary Burner: 1 x 1,10 KW
W x D x H: 60 x 60 x 87,5 cm



LF60GE-40F

Main Features

Mix Oven Type (Bottom Burner+Upper Heating Element)
Gas Safety System
Hob Auto Ignition

Technical Features

Rapid Burner: 1 x 2,20 KW
Semi Rapid Burner: 2 x 1,65 KW
Auxiliary Burner: 1 x 1,10 KW
W x D x H: 60 x 60 x 87,5 cm



LF60G-40F

Main Features

Gas Oven Type
(Bottom Burner)
Gas Safety System
Hob Auto Ignition

Technical Features

Rapid Burner: 1 x 2,20 KW
Semi Rapid Burner: 2 x 1,65 KW
Auxiliary Burner: 1 x 1,10 KW
W x D x H: 60 x 60 x 87,5 cm

60x60 FREE STANDING OVEN SPECIFICATION



Model	LF60S-40F	LF60S-40F	LF60S-04	LF60S-31F	LF60S-22F	LF60S-04VR
Capacity (L)	57	57	57	57	57	57
Voltage (v)	220-240	220-240	220-240	220-240	220-240	220-240
Frequency (Hz)	50	50	50	50	50	50
Total Power	2400 W	2400 W	7400 W	3400 W	4900 W	8400 W
Thermostat	Yes	Yes	Yes	Optional	Optional	Yes
Oven Type	Static	Static	Static	Static	Static	Static
Hob Type	4 Gas / Pool or Pipe	4 Gas / Pool or Pipe	4 Electric Hotplate	3 Gas + 1 Electric Hotplate	2 Gas + 2 Electric Hotplate	Vitroc ceramic Cooker
Aesthetics	Elyptic	Mercury	Favorite	Atlantis	Atlantis	Mercury
Display/Timer	Optional	Mechanical	Optional	Optional	Mechanical	Optional
Inner Door Type	Full Glass (Removable)	Full Glass (Removable)	Full Glass (Removable)	Full Glass (Removable)	Full Glass (Removable)	Full Glass (Removable)
Interior Accessory	1 x Cr-ni grid, 1 x Enamelled Rectangle Tray	1 x Cr-ni grid, 1 x Enamelled Rectangle Tray	1 x Cr-ni grid, 1 x Enamelled Rectangle Tray	1 x Cr-ni grid, 1 x Enamelled Rectangle Tray	1 x Cr-ni grid, 1 x Enamelled Rectangle Tray	1 x Cr-ni grid, 1 x Enamelled Rectangle Tray
Deep Tray	Optional	Optional	Optional	Optional	Optional	Optional
Turbo Fan	Optional	Optional	Optional	Optional	Optional	Optional
Rotisserie	Optional	Optional	Optional	Optional	Optional	Optional
Interior Light	Optional	Optional	Optional	Optional	Optional	Optional
Lid	Metal or Glass	Metal or Glass	Metal or Glass	Metal or Glass	Metal or Glass	-
Shelf Positions	4	4	4	4	4	4
Side Shelves	Embedded or Wire Shelf	Embedded or Wire Shelf	Embedded or Wire Shelf	Embedded or Wire Shelf	Embedded or Wire Shelf	Embedded or Wire Shelf
Side Walls	Enamelled	Enamelled	Enamelled	Enamelled	Enamelled	Enamelled
Pan Support	Enameled or Cast Iron	Enameled or Cast Iron	-	Enameled or Cast Iron	Enameled or Cast Iron	-
Ignition	Auto or Button	Auto or Button	-	Auto or Button	Auto or Button	-
Flame Failure Device (FFD)	Optional	Optional	-	Optional	Optional	-

Plates have one more option which is 1500 W rapid plate.

Color Options: Black, White, Beige, Gold, Brown, Pistachio Green, Orange, Wooden Color, Stainless Steel, Claret Red

60x60 FREE STANDING OVEN SPECIFICATION



Model	LF60G-40F	LF60GG-40	LF60GG-40F	LF60GE-40F
Capacity (L)	57	57	57	57
Voltage (v)	220-240	220-240	220-240	220-240
Frequency (Hz)	50	50	50	50
Total Power	-	-	-	-
Thermostat	Optional	Optional	Optional	Optional
Oven Type	Gas (Bottom Burner)	Gas (Bottom - Upper Burner)	Gas (Bottom - Upper Burner)	Mix (Bottom - Upper Heating)
Hob Type	4 Gas / Pool or Pipe	4 Gas / Pool or Pipe	4 Gas / Pool or Pipe	4 Gas / Pool or Pipe
Aesthetics	Favorite	Fashion	Mercury	Atlantis
Display/Timer	Optional	Optional	Optional	Optional
Inner Door Type	Full Glass (Removable)	Full Glass (Removable)	Full Glass (Removable)	Full Glass (Removable)
Interior Accessory	1 x Cr-ni grid, 1 x Enamelled Rectangle Tray	1 x Cr-ni grid, 1 x Enamelled Rectangle Tray	1 x Cr-ni grid, 1 x Enamelled Rectangle Tray	1 x Cr-ni grid, 1 x Enamelled Rectangle Tray
Deep Tray	Optional	Optional	Optional	Optional
Turbo Fan	Optional	Optional	Optional	Optional
Rotisserie	Optional	Optional	Optional	Optional
Interior Light	Optional	Optional	Optional	Optional
Lid	Metal or Glass	Metal or Glass	Metal or Glass	Metal or Glass
Shelf Positions	4	4	4	4
Side Shelves	Embedded or Wire Shelf	Embedded or Wire Shelf	Embedded or Wire Shelf	Embedded or Wire Shelf
Side Walls	Enamelled	Enamelled	Enamelled	Enamelled
Pan Support	Enamelled or Cast Iron	Enamelled or Cast Iron	Enamelled or Cast Iron	Enamelled or Cast Iron
Ignition	Auto or Button	Auto or Button	Auto or Button	Auto or Button
Flame Failure Device (FFD)	Optional	Optional	Optional	Optional

Color Options: Black, White, Beige, Gold, Brown, Pistachio Green, Orange, Wooden Color, Stainless Steel, Claret Red

60x60 PLANET FREE STANDING OVEN **FEATURES**



LF662S-40F

Main Features

Electric Oven Type
Thermostat
Gas Safety System
Hob Button Ignition

Technical Features

Rapid Burner: 1 x 2,20 KW
Semi Rapid Burner: 2 x 1,65 KW
Auxiliary Burner: 1 x 1,10 KW
W x D x H: 57 x 57 x 90 cm



LF66G-40F

Main Features

Gas Oven Type (Bottom Burner)
Gas Safety System
Hob Button Ignition

Technical Features

Rapid Burner: 1 x 2,20 KW
Semi Rapid Burner: 2 x 1,65 KW
Auxiliary Burner: 1 x 1,10 KW
W x D x H: 57 x 57 x 90 cm



LF66GG-40

Main Features

Gas Oven Type (Bottom Burner+Upper Burner)
Pipe Burner Type
Rotisserie
Hob Button Ignition

Technical Features

Rapid Burner: 1 x 2,20 KW
Semi Rapid Burner: 2 x 1,65 KW
Auxiliary Burner: 1 x 1,10 KW
W x D x H: 57 x 57 x 90 cm



LF66GG-40

Main Features

Gas Oven Type (Bottom Burner+Upper Burner)
Pipe Burner Type
Rotisserie
Hob Button Ignition

Technical Features

Rapid Burner: 1 x 2,20 KW
Semi Rapid Burner: 2 x 1,65 KW
Auxiliary Burner: 1 x 1,10 KW
W x D x H: 57 x 57 x 90 cm



LF66GG-40F

Main Features

Gas Oven Type (Bottom Burner+Upper Burner)
Rustic Design
Gas Safety System
Hob Button Ignition

Technical Features

Rapid Burner: 1 x 2,20 KW
Semi Rapid Burner: 2 x 1,65 KW
Auxiliary Burner: 1 x 1,10 KW
W x D x H: 57 x 57 x 90 cm



LF66GE-40F

Main Features

Mix Oven Type (Bottom Burner+Upper Heating Element)
Rustic Design
Gas Safety System
Hob Auto Ignition

Technical Features

Rapid Burner: 1 x 2,20 KW
Semi Rapid Burner: 2 x 1,65 KW
Auxiliary Burner: 1 x 1,10 KW
W x D x H: 57 x 57 x 90 cm

60x60 PLANET FREE STANDING OVEN



LF66GG-40
(Black-Wood Color)



LF66GG-40
(Black-Beige Color)



LF66GG-40
(Black-Gold Color)



LF66GG-40
(Black-Red Color)



LF66GG-40
(Black-Orange Color)



LF66GG-40
(Black-Green Color)

60x60 FREE STANDING PLANET OVEN SPECIFICATION



Model	LF662S-40F	LF66G-40F	LF66GG-40
Capacity (L)	50-56	50-56	50-56
Voltage (v)	220-240	220-240	220-240
Frequency (Hz)	50	50	50
Total Power	1600 W	-	-
Thermostat	Optional	Optional	Optional
Oven Type	Static	Gas (Bottom Burner)	Gas (Bottom Burner)
Hob Type	4 Gas / Pool or Pipe	4 Gas / Pool or Pipe	4 Gas / Pool or Pipe
Aesthetics	Planet	Planet	Planet
Display/Timer	Optional	Optional	Optional
Inner Door Type	Full Glass (Removable)	Full Glass (Removable)	Full Glass (Removable)
Interior Accessory	1 x Cr-ni grid, 1 x Enamelled Rectangle Tray	1 x Cr-ni grid, 1 x Enamelled Rectangle Tray	1 x Cr-ni grid, 1 x Enamelled Rectangle Tray
Deep Tray	Optional	Optional	Optional
Turbo Fan	Optional	-	Optional
Rotisserie	Optional	Optional	Optional
Interior Light	Optional	Optional	Optional
Lid	Glass	Glass	Glass
Shelf Positions	4	4	4
Side Shelves	Embedded or Wire Shelf	Embedded or Wire Shelf	Embedded or Wire Shelf
Side Walls	Enamelled	Enamelled	Enamelled
Pun Support	Enamelled or Cast Iron	Enamelled or Cast Iron	Enamelled or Cast Iron
Ignition	Auto or Button	Auto or Button	Auto or Button
Flame Failure Device (FFD)	Optional	Optional	Optional

Color Options: Black, White, Beige, Gold, Brown, Pistachio Green, Orange, Wooden Color, Stainless Steel, Claret Red



Model	LF66GG-40	LF66GG-40F	LF66GE-40
Capacity (L)	50-56	50-56	50-56
Voltage (v)	220-240	220-240	220-240
Frequency (Hz)	50	50	50
Total Power	-	-	-
Thermostat	Optional	Optional	Optional
Oven Type	Gas (Bottom - Upper Heating)	Gas (Bottom - Upper Burner)	Mix (Bottom - Upper Heating)
Hob Type	4 Gas / Pool or Pipe	4 Gas / Pool or Pipe	4 Gas / Pool or Pipe
Aesthetics	Planet	Planet	Planet
Display/Timer	Optional	Optional	Optional
Inner Door Type	Full Glass (Removable)	Full Glass (Removable)	Full Glass (Removable)
Interior Accessory	1x Cr-ni grid, 1x Enamelled Rectangle Tray	1x Cr-ni grid, 1x Enamelled Rectangle Tray	1x Cr-ni grid, 1x Enamelled Rectangle Tray
Deep Tray	Optional	Optional	Optional
Turbo Fan	Optional	Optional	Optional
Rotisserie	Optional	Optional	Optional
Interior Light	Optional	Optional	Optional
	Glass	Glass	Glass
Shelf Positions	4	4	4
Side Shelves	Embedded or Wire Shelf	Embedded or Wire Shelf	Embedded or Wire Shelf
Side Walls	Enamelled	Enamelled	Enamelled
Pun Support	Enamelled or Cast Iron	Enamelled or Cast Iron	Enamelled or Cast Iron
Ignition	Auto or Button	Auto or Button	Auto or Button
Flame Failure Device (FFD)	Optional	Optional	Optional

Color Options: Black, White, Beige, Gold, Brown, Pistachio Green, Orange, Wooden Color, Stainless Steel, Claret Red



KUMTEL®

LUXELL

60x90 FREE STANDING OVEN FEATURES

LF699S-50F



Main Features

Electric Oven Type
Thermostat
Mechanical Timer
Gas Safety System
Hob Auto Ignition

Technical Features

Rapid Burner: 1 x 2,20 KW
Semi Rapid Burner:
2 x 1,65 KW
Auxiliary Burner: 1 x 1,10 KW
Wok Burner: 1 x 3,60 KW
W x D x H:
89,5 x 60 x 83~91 cm

LF699S-41F



Main Features

Electric Oven Type
Thermostat
Mechanical Timer
Gas Safety System
Hob Auto Ignition

Technical Features

Rapid Burner: 1 x 2,20 KW
Semi Rapid Burner:
2 x 1,65 KW
Auxiliary Burner: 1 x 1,10 KW
Hotplate: 1 x 1500 W
W x D x H:
89,5 x 60 x 83~91 cm



LF699S-42F

Main Features

Electric Oven Type
Thermostat
Mechanical Timer
Gas Safety System
Hob Auto Ignition

Technical Features

Rapid Burner: 1 x 2,20 KW
Semi Rapid Burner: 2 x 1,65 KW
Auxiliary Burner: 1 x 1,10 KW
Hotplate: 1 x 1500 W 1 X 1000 W
W x D x H: 89,5 x 60 x 83~91 cm



LF699GG-50

Main Features

Gas Oven Type (Bottom Burner+Upper Burner)
Mechanical Timer
Brass Burner
Rotisserie
Hob Button Ignition

Technical Features

Rapid Burner: 1 x 2,20 KW
Semi Rapid Burner: 2 x 1,65 KW
Auxiliary Burner: 1 x 1,10 KW
Wok Burner: 1 x 3,60 KW
*W x D x H: 89,5 x 60 x 83~91 cm



LF699GG-50

Main Features

Gas Oven Type (Bottom Burner+Upper Burner)
Mechanical Timer
Brass Burner
Rotisserie
Hob Button Ignition

Technical Features

Rapid Burner: 1 x 2,20 KW
Semi Rapid Burner: 2 x 1,65 KW
Auxiliary Burner: 1 x 1,10 KW
Wok Burner: 1 x 3,60 KW
W x D x H: 89,5 x 60 x 83~91 cm

LF699GG-50F



Main Features

Gas Oven Type (Bottom Burner+Upper Burner)
Mechanical Timer
Gas Safety System
Rotisserie
Hob Button Ignition

Technical Features

Rapid Burner: 1 x 2,20 KW
Semi Rapid Burner: 2 x 1,65 KW
Auxiliary Burner: 1 x 1,10 KW
Wok Burner: 1 x 3,60 KW
W x D x H:
89,5 x 60 x 83~91 cm

LF696S-50F



Main Features

Electric Oven Type
Bottle compartment
Thermostat
Mechanical Timer
Gas Safety System
Hob Auto Ignition

Technical Features

Rapid Burner: 1 x 2,20 KW
Semi Rapid Burner:
2 x 1,65 KW
Auxiliary Burner: 1 x 1,10 KW
Wok Burner: 1 x 3,60 KW
W x D x H:
89,5 x 60 x 83~91 cm



LF696S-41F

Main Features

Electric Oven Type
Bottle compartment
Thermostat
Mechanical Timer
Gas Safety System
Hob Auto Ignition

Technical Features

Rapid Burner: 1 x 2,20 KW
Semi Rapid Burner: 2 x 1,65 KW
Auxiliary Burner: 1 x 1,10 KW
Hotplate: 1 x 1500 W
W x D x H: 89,5 x 60 x 83~91 cm



LF696S-42F

Main Features

Electric Oven Type
Bottle compartment
Thermostat
Mechanical Timer
Gas Safety System
Hob Auto Ignition

Technical Features

Rapid Burner: 1 x 2,20 KW
Semi Rapid Burner: 2 x 1,65 KW
Auxiliary Burner: 1 x 1,10 KW
Hotplate: 1 x 1500 W 1 X 1000 W
W x D x H: 89,5 x 60 x 83~91 cm



LF696GG-50F

Main Features

Gas Oven Type (Bottom Burner+Upper Burner)
Bottle compartment
Mechanical Timer
Gas Safety System
Rotisserie
Hob Button Ignition

Technical Features

Rapid Burner: 1 x 2,20KW
Semi Rapid Burner: 2 x 1,65 KW
Auxiliary Burner: 1 x 1,10 KW
Wok Burner: 1 x 3,60 KW
W x D x H: 89,5 x 60 x 83~91 cm

60x90 FREE STANDING OVEN SPECIFICATION



Model	LF699S-50F	LF699S-41F	LF699S-42F	LF699GG-50	LF699GG-50
Capacity (L)	102	102	102	102	102
Voltage (v)	220-240	220-240	220-240	220-240	220-240
Frequency (Hz)	50	50	50	50	50
Total Power	3250 W	4750 W	5750 W	-	-
Thermostat	Optional	Optional	Optional	Optional	Optional
Oven Type	Static	Static	Static	Gas (Bottom - Upper Burner)	Gas (Bottom - Upper Burner)
Hob Type	5 Gas (1 Tribble)	4 Gas + 1 Electric Hotplate	4 Gas + 2 Electric Hotplate	5 Gas (1 Tribble)	5 Gas (1 Tribble)
Aesthetics	FreeStanding Oven	FreeStanding Oven	FreeStanding Oven	FreeStanding Oven	FreeStanding Oven
Display/Timer	Optional	Optional	Optional	Optional	Optional
Inner Door Type	Full Glass (Removable)	Full Glass (Removable)	Full Glass (Removable)	Full Glass (Removable)	Full Glass (Removable)
Interior Accessory	1 x Cr-ni grid, 1 x Enamelled Rectangle Tray	1 x Cr-ni grid, 1 x Enamelled Rectangle Tray	1 x Cr-ni grid, 1 x Enamelled Rectangle Tray	1 x Cr-ni grid, 1 x Enamelled Rectangle Tray	1 x Cr-ni grid, 1 x Enamelled Rectangle Tray
Deep Tray	-	-	-	-	-
Turbo Fan	Optional	Optional	Optional	Optional	Optional
Rotisserie	-	-	-	Optional	Optional
Interior Light	Optional	Optional	Optional	Optional	Optional
Lid	Glass	Glass	Glass	Glass	Glass
Shelf Positions	4	4	4	4	4
Side Shelves	Wire Shelves	Wire Shelves	Wire Shelves	Wire Shelves	Wire Shelves
Side Walls	Enamelled	Enamelled	Enamelled	Enamelled	Enamelled
Pun Support	Rectangle (Enamelled or Cast Iron)	Rectangle (Enamelled or Cast Iron)	Rectangle (Enamelled or Cast Iron)	Rectangle (Enamelled or Cast Iron)	Rectangle (Enamelled or Cast Iron)
Ignition	Auto or Button	Auto or Button	Auto or Button	Auto or Button	Auto or Button
Flame Failure Device (FFD)	Optional	Optional	Optional	Optional	Optional

Color Options: Black, White, Beige, Gold, Brown, Pistachio Green, Orange, Wooden Color, Stainless Steel, Claret Red

60x90 FREE STANDING OVEN SPECIFICATION



Model	LF699GG-50F	LF696S-50F	LF696S-41F	LF696S-42F	LF696GG-50F
Capacity (L)	102	54-61	54-61	54-61	54-61
Voltage (v)	220-240	220-240	220-240	220-240	220-240
Frequency (Hz)	50	50	50	50	50
Total Power	-	2400 W	3900 W	4900 W	-
Thermostat	Optional	Optional	Optional	Optional	Optional
Oven Type	Gas (Bottom - Upper Burner)	Static	Static	Static	Gas (Bottom - Upper Burner)
Hob Type	5 Gas (1 Tribble)	5 Gas (1 Tribble)	4 Gas + 1 Electric Hotplate	4 Gas + 2 Electric Hotplate	5 Gas (1 Tribble)
Aesthetics	FreeStanding Oven	FreeStanding Oven (Propane Cylinder Cabin)	FreeStanding Oven (Propane Cylinder Cabin)	FreeStanding Oven (Propane Cylinder Cabin)	FreeStanding Oven (Propane Cylinder Cabin)
Display/Timer	Optional	Optional	Optional	Optional	Optional
Inner Door Type	Full Glass (Removable)	Full Glass (Removable)	Full Glass (Removable)	Full Glass (Removable)	Full Glass (Removable)
Interior Accessory	1 x Cr-ni grid, 1 x Enamelled Rectangle Tray	1 x Cr-ni grid, 1 x Enamelled Rectangle Tray	1 x Cr-ni grid, 1 x Enamelled Rectangle Tray	1 x Cr-ni grid, 1 x Enamelled Rectangle Tray	1 x Cr-ni grid, 1 x Enamelled Rectangle Tray
Deep Tray	-	Optional	Optional	Optional	-
Turbo Fan	Optional	Optional	Optional	Optional	Optional
Rotisserie	Optional	-	-	-	Optional
Interior Light	Optional	Optional	Optional	Optional	Optional
Lid	Glass	Glass	Glass	Glass	Glass
Shelf Positions	4	4	4	4	4
Side Shelves	Wire Shelves	Embedded or Wire Shelves	Embedded or Wire Shelves	Embedded or Wire Shelves	Embedded or Wire Shelves
Side Walls	Enamelled	Enamelled	Enamelled	Enamelled	Enamelled
Pun Support	Rectangle (Enamelled or Cast Iron)	Rectangle (Enamelled or Cast Iron)	Rectangle (Enamelled or Cast Iron)	Rectangle (Enamelled or Cast Iron)	Rectangle (Enamelled or Cast Iron)
Ignition	Auto or Button	Auto or Button	Auto or Button	Auto or Button	Auto or Button
Flame Failure Device (FFD)	Optional	Optional	Optional	Optional	Optional

Color Options: Black, White, Beige, Gold, Brown, Pistachio Green, Orange, Wooden Color, Stainless Steel, Claret Red



Head Office:

Buyuk Hendek Street
No:57 Şişhane / ISTANBUL
(+90) 212 292 2525

Factory:

Organize Sanayi Field
6. Street No: 42
Melikgazi / KAYSERİ
(+90) 352 321 1400