

**KUMTEL®**

# Range Hoods Catalogue

# RANGE HOODS

## FEATURES

---



**DK6-731**

**Main Features**

Intensive ventilation capacity:  
300 m3/h  
3 Power Level  
Button Control  
Led Lighting  
Dishwasher Safe Filters  
(It has double engine option)  
Color Options:  
Black, White, Grey, Stainless Steel

**Technical Features**

600 x 480 x 150 mm



**DK6-732**

**Main Features**

Intensive ventilation capacity:  
300 m3/h  
3 Power Level  
Knob Control  
Led Lighting  
Dishwasher Safe Filters  
(It has double engine option)  
Color Options:  
Black, White, Grey, Stainless Steel

**Technical Features**

600 x 480 x 150 mm



**DK6-733**

**Main Features**

Intensive ventilation capacity:  
300 m3/h  
3 Power Level  
Double Knob Control  
Led Lighting  
Dishwasher Safe Filters  
(It has double engine option)  
Color Options:  
Black, White, Grey, Stainless Steel

**Technical Features**

600 x 480 x 150 mm



**DK6-734**

**Main Features**

Intensive ventilation capacity:  
300 m3/h  
3 Power Level  
Rocker Switch Control  
Led Lighting  
Dishwasher Safe Filters  
(It has double engine option)  
Color Options:  
Black, White, Grey, Stainless Steel

**Technical Features**

600 x 480 x 150 mm



**DK6-735**

**Main Features**

Intensive ventilation capacity:  
300 m3/h  
3 Power Level  
Slider Button  
Led Lighting  
Dishwasher Safe Filters (It has  
double engine option)  
Color Options:  
Black, White, Grey, Stainless Steel

**Technical Features**

600 x 480 x 150 mm



**DK6-736**

**Main Features**

Intensive ventilation capacity:  
300 m3/h  
3 Power Level  
Touch Pad Control  
Led Lighting  
Dishwasher Safe Filters (It has  
double engine option)  
Color Options:  
Black, White, Grey, Stainless Steel

**Technical Features**

600 x 480 x 150 mm



## DS6-905 A

---

### Main Features

Intensive ventilation capacity:  
300 m<sup>3</sup>/h  
2 Power Stage  
Rocker Switch Control  
Led Lighting  
Dishwasher Safe Filters  
Color Options:  
Black, White, Grey, Stainless Steel

### Technical Features

600 x 495 x 170 mm



## DS6-905 B

---

### Main Features

Intensive ventilation capacity:  
450 m<sup>3</sup>/h  
3 Power Stage  
Rocker Switch Control  
Led Lighting  
Dishwasher Safe Filters  
Color Options:  
Black, White, Grey, Stainless Steel

### Technical Features

600 x 495 x 170 mm



## DP6

---

### Main Features

Intensive ventilation capacity:  
450 m<sup>3</sup>/h  
3 Power Level  
Button Control  
Led Lighting  
Dishwasher Safe Filters  
Color Options:  
Black, White, Stainless Steel

### Technical Features

600 x 450 x 200 mm



## DP6-RB

---

### Main Features

Intensive ventilation capacity:  
450 m<sup>3</sup>/h  
3 Power Level  
Button Control  
Led Lighting  
Dishwasher Safe Filters  
Color Options:  
Black, Beige

### Technical Features

600 x 450 x 200 mm

# RANGE HOODS

## SPECIFICATION



Model	DK6-905 (Only Engine)	DK6-905 (Double Engine)	DK6-732 (Only Engine)	DK6-732 (Double Engine)	DK6-733 (Only Engine)	DK6-733 (Double Engine)
Product Type	Built-in Hood(Classic)	Built-in Hood(Classic)	Built-in Hood(Classic)	Built-in Hood(Classic)	Built-in Hood(Classic)	Built-in Hood(Classic)
Voltage (v)	220-240	220-240	220-240	220-240	220-240	220-240
Frequency (Hz)	50	50	50	50	50	50
Intensive Ventilation Capacity	300 m <sup>3</sup> /h	450 m <sup>3</sup> /h	300 m <sup>3</sup> /h	450 m <sup>3</sup> /h	300 m <sup>3</sup> /h	450 m <sup>3</sup> /h
Glass	Optional	Optional	Optional	Optional	Optional	Optional
Sound Power dB (A)	66	69	66	69	69	69
Hood Width (Cm)	60	60	60	60	60	60
Control Type	Button	Button	Knob	Knob	Double Knob	Double Knob
Number of Power Levels	3	3	3	3	3	3
Type of Lighting	LED	LED	LED	LED	LED	LED
Remote Controller for Hood	-	-	-	-	-	-
Motor Power	140W	2x90W	140W	2x90W	140W	2x90W
Filter Material	Aluminium	Aluminium	Aluminium	Aluminium	Aluminium	Aluminium
Depth (Mm)	480	480	480	480	480	480
Width (Mm)	600 or 900	600 or 900	600 or 900	600 or 900	600 or 900	600 or 900
Height (Mm)	150	150	150	150	150	150

Color Options: Black, White, Grey, Stainless Steel  
If the 900 mm options is selected, the product name will start with DK9.



Model	DK6-734 (Only Engine)	DK6-734 (Double Engine)	DK6-735 (Only Engine)	DK6-735 (Double Engine)	DK6-736 (Only Engine)	DK6-736 (Double Engine)
Product Type	Built-in Hood(Classic)	Built-in Hood(Classic)	Built-in Hood(Classic)	Built-in Hood(Classic)	Built-in Hood(Classic)	Built-in Hood(Classic)
Voltage (v)	220-240	220-240	220-240	220-240	220-240	220-240
Frequency (Hz)	50	50	50	50	50	50
Intensive Ventilation Capacity	300 m <sup>3</sup> /h	450 m <sup>3</sup> /h	300 m <sup>3</sup> /h	450 m <sup>3</sup> /h	300 m <sup>3</sup> /h	450 m <sup>3</sup> /h
Glass	Optional	Optional	Optional	Optional	Optional	Optional
Sound Power dB (A)	66	69	66	69	66	69
Hood Width (Cm)	60	60	60	60	60	60
Control Type	Rocker Switch	Rocker Switch	Slider Button	Slider Button	Touch Pad	Touch Pad
Number of Power Levels	3	3	3	3	3	3
Type of Lighting	LED	LED	LED	LED	LED	LED
Remote Controller for Hood	-	-	-	-	-	-
Motor Power	140W	2x90W	140W	2x90W	140W	2x90W
Filter Material	Aluminium	Aluminium	Aluminium	Aluminium	Aluminium	Aluminium
Depth (Mm)	480	480	480	480	480	480
Width (Mm)	600 or 900	600 or 900	600 or 900	600 or 900	600 or 900	600 or 900
Height (Mm)	150	150	150	150	150	150

Color Options: Black, White, Grey, Stainless Steel  
If the 900 mm options is selected, the product name will start with DK9.



Model	DS6-905 A	DS6-905 B	DP6	DP6-RS
Product Type	Built-in Hood(Sliding)	Built-in Hood(Sliding)	Built-in Hood(Pyramide)	Built-in Hood(Pyramide)
Voltage (V)	220-240	220-240	220-240	220-240
Frequency (Hz)	50	50	50	50
Glass Q'ty	-	-	-	-
Sound Power dB (A)	67	69	69	69
Hood Width (Cm)	60	60	60	60
Control Type	Button	Button	Button	Button
Number of Power Levels	2	3	3	3
Type of Lighting	Led	Led	Led	Led
Remote Controller for Hood	-	-	-	-
Motor Power	90 W	140 W	140 W	140 W
Filter Material	Aluminium	Aluminium	Aluminium	Aluminium
Depth (Mm)	495	495	450	450
Width (Mm)	600	600	600	600
Height (Mm)	170	170	200	200

Color Options: Black, Beige, Grey, Stainless Steel

# RANGE HOODS

## FEATURES

---



### DA6-830

---

#### Main Features

Intensive ventilation capacity: 650 m<sup>3</sup>/h  
 2 Glasses  
 3 Power Level  
 Knob Control  
 Led Lighting  
 Dishwasher Safe Filters

#### Technical Features

600 x 460 x 365 mm



### DA6-832

---

#### Main Features

Intensive ventilation capacity: 650 m<sup>3</sup>/h  
 2 Glasses  
 3 Power Level  
 Button Control  
 Led Lighting  
 Dishwasher Safe Filters

#### Technical Features

600 x 460 x 365 mm



### DA6-833

---

#### Main Features

Intensive ventilation capacity: 250 m<sup>3</sup>/h  
 1 Glass  
 1 Power Level  
 Rocker Switch Control  
 Led Lighting  
 Dishwasher Safe Filters

#### Technical Features

570 x 400 x 365 mm



### DA6-835

---

#### Main Features

Intensive ventilation capacity: 650 m<sup>3</sup>/h  
 2 Glasses  
 3 Power Level  
 Touch Control  
 Remote controller for Hood  
 Led Lighting  
 Dishwasher Safe Filters

#### Technical Features

600 x 460 x 365 mm



## DA6-855

---

### Main Features

Intensive ventilation capacity: 650  
m<sup>3</sup>/h  
3 Glasses  
3 Power Level  
Touch Control  
Remote controller for Hood  
Led Lighting  
Dishwasher Safe Filters

### Technical Features

600 x 480 x 360 mm



## DA6-865

---

### Main Features

Intensive ventilation capacity: 650  
m<sup>3</sup>/h  
3 Glasses  
3 Power Level  
Touch Control  
Remote controller for Hood  
Led Lighting  
Dishwasher Safe Filters

### Technical Features

600 x 510 x 360 mm



## DA6-875 (PLATINUM)

---

### Main Features

Intensive ventilation capacity:  
800 m<sup>3</sup>/h  
3 Glasses  
5 Power Level  
Touch Control  
Remote controller for Hood  
Led Lighting  
Dishwasher Safe Filters

### Technical Features

600 x 510 x 265 mm

# DA6-875

## PLATINIUM RANGE HOODS



Motor Type	5 Levels Motor
Flow (Suction Power)	800 m <sup>3</sup> /h
With / Without Chimney Use	Appropriate
Control Type	Touch Dig. + Remote Cont.
Color Options	White / Black
Aluminum Filter	Washable 5 Layers Aluminium Filter
Noise Level	61 dB
Diameter of Chimney	120 mm
Width	60 cm
Motor Power	212 W
Lighting	Led Lamp
Packing	Box + Seperator





Model	DA6-830	DA6-832	DA6-833	DA6-835	DA6-855	DA6-865	DA6-875
Product Type	Built-in Hood	Built-in Hood	Built-in Hood	Built-in Hood	Built-in Hood	Built-in Hood	Built-in Hood
Voltage (v)	220-240	220-240	220-240	220-240	220-240	220-240	220-240
Frequency (Hz)	50	50	50	50	50	50	50
Glass Q'ty	2	2	1	2	3	3	3
Sound Power dB (A)	63	63	63	63	63	63	61
Hood Width (Cm)	60	60	60	60	60	60	60
Control Type	Knob	Button	Rocker Switch	Touch	Touch	Touch	Touch
Number of Power Levels	3	3	1	3	3	3	3
Type of Lighting	Led	Led	Led	Led	Led	Led	Led
Remote Controller for Hood	-	-	-	Yes	Yes	Yes	Yes
Motor Power	140 W	140 W	100 W	140 W	140 W	140 W	212 W
Filter Material	Aluminium	Aluminium	Aluminium	Aluminium	Aluminium	Aluminium	Aluminium
Depth (Mm)	460	460	400	460	480	510	510
Width (Mm)	600	600	570	600	600	600	600
Height (Mm)	365	365	365	365	365	260	260

Color Options: Black, White, Stone Coal



Model	DA7-830	DA7-832	DA7-833	DA7-835	DA7-855	DA7-865	DA7-875
Product Type	Built-in Hood	Built-in Hood	Built-in Hood	Built-in Hood	Built-in Hood	Built-in Hood	Built-in Hood
Voltage (v)	220-240	220-240	220-240	220-240	220-240	220-240	220-240
Frequency (Hz)	50	50	50	50	50	50	50
Glass Q'ty	2	2	1	2	3	3	3
Sound Power dB (A)	63	63	63	63	63	63	61
Hood Width (Cm)	60	60	60	60	60	60	60
Control Type	Knob	Button	Rocker Switch	Touch	Touch	Touch	Touch
Number of Power Levels	3	3	1	3	3	3	3
Type of Lighting	Led	Led	Led	Led	Led	Led	Led
Remote Controller for Hood	-	-	-	Yes	Yes	Yes	Yes
Motor Power	140 W	140 W	100 W	140 W	140 W	140 W	212 W
Filter Material	Aluminium	Aluminium	Aluminium	Aluminium	Aluminium	Aluminium	Aluminium
Depth (Mm)	460	460	400	460	480	510	510
Width (Mm)	700	700	670	700	700	700	700
Height (Mm)	365	365	365	365	365	260	260

Color Options: Black, White, Stone Coal


# RANGE HOODS SPECIFICATION



Model	DA9-830	DA9-832	DA9-833	DA9-835	DA9-855	DA9-865	DA9-875
<b>Product Type</b>	Built-in Hood	Built-in Hood	Built-in Hood	Built-in Hood	Built-in Hood	Built-in Hood	Built-in Hood
<b>Voltage (v)</b>	220-240	220-240	220-240	220-240	220-240	220-240	220-240
<b>Frequency (Hz)</b>	50	50	50	50	50	50	50
<b>Glass Q'ty</b>	2	2	1	2	3	3	3
<b>Sound Power dB (A)</b>	63	63	63	63	63	63	61
<b>Hood Width (Cm)</b>	60	60	60	60	60	60	60
<b>Control Type</b>	Knob	Button	Rocker Switch	Touch	Touch	Touch	Touch
<b>Number of Power Levels</b>	3	3	1	3	3	3	3
<b>Type of Lighting</b>	Led	Led	Led	Led	Led	Led	Led
<b>Remote Controller for Hood</b>	-	-	-	Yes	Yes	Yes	Yes
<b>Motor Power</b>	140 W	140 W	100 W	140 W	140 W	140 W	212 W
<b>Filter Material</b>	Aluminium	Aluminium	Aluminium	Aluminium	Aluminium	Aluminium	Aluminium
<b>Depth (Mm)</b>	460	460	400	460	480	510	510
<b>Width (Mm)</b>	900	900	870	900	900	900	900
<b>Height (Mm)</b>	365	365	365	365	365	260	260

Color Options: Black, White, Stone Coal





**Head Office:**

Buyuk Hendek Street  
No:57 Şiřhane / ISTANBUL  
(+90) 212 292 2525

**Factory:**

Organize Sanayi Field  
6. Street No: 42  
Melikgazi / KAYSERİ  
(+90) 352 321 1400